



IT'S YOUR BODY
Luxura
by Hapro

X_S X₂



42 SLI
INTENSIVE



Body Beautiful

The Luxura X₅ and Luxura X₇. Works of art for your studio. The design reflects the inner values of an innovative concept, in which high-tech and beauty undergo complete symbiosis. The highly attractive Luxura elegance gives its all for the sake of the ideal of beauty. Luxura X₅ and X₇ represent the attractive highlight for your studio's atmosphere. Luxury for your image.

X₅

X₇






Luxura X₇: With Many Extra Features

If you are interested in wellness, you are the kind of person who likes to treat himself to some luxury now and then. After all, you deserve to spoil yourself with something unusual. Which is why, right from the start, Hapro designed the Luxura X₇ sunbed - including different models with 38-42 tubes - with a number of attractive extra features. These include a screen between top and base, finished in the same colour as the sunbed itself. And then there is the backFlex shoulder tanner*. And the head and body cooler. And much more besides.

* Not included in the 40- and 42-tube models, which are equipped with XL-Light technology in the base.



X₇





Luxura X₅: The All-Round Talent

Turn your Luxura X₅ into a sunbed with all the trimmings. Speakers, Sound Around, Smart Voice and myMP3 - there's hardly anything that can not be integrated with this all-round talent. BackFLEX shoulder tanner can also be delivered as well as an air conditioning unit, Xsens and Qsens. Decorative screen between top and base and the face and body coolers are integrated as standard.

Enter the premium class of sunbeds!

X₅

Decorative screen
standard in silver



The perfect equipment for a perfect tanning result.



The LED blower decor light: an attractive attention grabber.





Something Special

Even the standard features of the Luxura X₅ and Luxura X₇ are attracting admiring comments from the experts. There are a great many features that speak for the coherent Hapro brand concept. These include the striking inside lighting, the futuristic LCD display and the simple opening and closing mechanism. Visitors to tanning studios have found out - the Luxura X₅ and X₇ are really something quite special.

The functions at a glance - the setting at a „touch“. The multi-function display ensures simple handling.





Harmony Out Of Form And Function

This is how an exemplary sunbed design looks: the first glance alone promises a special kind of tanning experience.

And then there are the functional details!


For example the face cooler. This can simply not be missing with a piece of equipment of this class. This is why Hapro has integrated it as a standard feature.

The same applies for the body cooler.

Both coolers can be regulated in five steps.



Another impressive detail: in the fan there are loudspeakers for the sound-around system - design all around.





How About A Little More Comfort?

The human body has a contoured profile.

It's outline is composed of a variety of curves.

This is why the bed surface has been designed with an ergonomic profile, thanks to contourPLUS*. This turns a conventional acrylic bed into an oasis of comfort, tailor made to fit each individual shape. Once you have experienced contourPLUS, you will never want to do without it.

* Standard feature of the Luxura X₇ only; available as an option for the Luxura X₅





X 42 SLI, equipped with optional HPS filters

High-Tech Light For Ideal Tanning

The many X₅ and X₇ variants tan with different light concepts. The range goes from 34 tubes (Luxura X₅) onto 38 and 40 tubes up to 42 tubes in the top model of the X₇ range. Generally you have the choice between SLi and SP_r tubes in the versions „Intensive“ or „High Intensive“. The X₇ variants with 38 tubes have as standard a backFLEX shoulder tanner, the variants with 40 and 42 tubes have as standard XL-light, 2 m-technology in the base.



HPS - the High Power System - for more efficiency and more intensive tanning.



Light for the whole body: the 2 metre tubes for an ideal tan.

X₅ X₇




X₄₀ SP_r



X₄₂ SLi




X₃₄ SLi



Wonderful freshness

No matter how much you may yearn for comforting warmth, occasionally your body prefers a gentle refreshing breeze. Qsens will ensure a cool caressing spray of water inside the sunbed - at regular intervals you have decided upon yourself. Divine! This wonderful freshness is distributed by way of the ventilation system. And Qsens does not just represent a wellness function. The innovative feature will also support long-lasting tanning results.



Qsens
A completely natural cooling experience. Refreshing water is sprayed into the room via the ventilation system.



Xsens
Fragrant scent is wafted into the interior through the ventilation system. Available in fragrances „Citrus“, „Exotic“ or „Ocean“.



XL-Light
2 m tubes in XL- format for a perfect tan.



ContourPlus
Feel the comfort of the ergonomically formed surface, which follows the body shape.



SmartVoice
A friendly voice greets the users and guides them through the device functions with supporting information.



My Mp3
Connection for a portable MP3 player. The user can connect his or her own equipment, or plug in a device provided by the studio.



BackFlex
In the integrated shoulder tanner the beams are diverted to the shoulders via reflection without any additional energy expenditure.



CliMax
Air conditioning system for cooling the ergonomically formed surface. The users can switch this on and off as they choose.



DecoLight
The attractive lighting concept with integrated DecoLight provides an extra sense of wellbeing during the tanning session. And the sunbed will look appealing at all times - even in stand-by mode.



Sound Around
4 integrated speakers in the head and foot area and a subwoofer ensure a three-dimensional sound experience.



HPS
High Power System: Special filter in SLi face tanner provides, with its mirror reflexes, a top quality design, more efficiency and direct pigmentation.



IP Control
This system -Intelligent Power Control- guarantees, during the entire lifecycle of the tubes, an optimal output of 0,3 W/m² in conformance with the EU regulation. IP Control achieves a tube lifecycle of 1500 hours! Energy consumption of the tubes will reduce up to 25%.



EasyLift
Acrylic system



Simple handling, quick maintenance.
The acrylic surface is removed and
inserted again in an instant.

X₅ X₇




Time Is Money

Cleaning equipment, replacing tubes, conducting technical services. All no problem. Hapro writes to its designers in the customer requirement specifications that they have to develop only such tanning devices whose maintenance requires no annoying time consuming assembly work. And this has been a perfect success once more again here. For example with the EasyLift Acrylic system. With this the acrylic sheet can be moved up and replaced again very easily. Finally Luxura X₅ and Luxura X₇ should not give rise to any unnecessary expenditure but will lead to satisfied sun studio visitors.





Starlight Silver



Mellow Lime



Sunrise Orange





Eternal Blue



Features optional or standard according to variants.

Technical data and features



	38 SLi	38 SLi Int.	38 SLi H. Int.	40 SPR	40 SPR Int.	40 SPR H. Int.	42 SLi	42 SLi Int.	42 SLi H. Int.	42 SLi IP Control
Surface	Metallic effect	Metallic effect	Metallic effect	Metallic effect	Metallic effect	Metallic effect	Metallic effect	Metallic effect	Metallic effect	Metallic effect
Inside lighting	●	●	●	●	●	●	●	●	●	●
Tubes top	22 x 100 W	22 x 160 W	22 x 160 W	22 x 120 W	22 x 180 W	22 x 180 W	24 x 100 W	24 x 160 W	24 x 160 W	24x IP tubes 1.80 m
Tubes base	16 x 100 W	16 x 100 W	16 x 160 W	18 x 120 W	18 x 120 W	18 x 180 W	18 x 120 W	18 x 120 W	18 x 180 W	18x IP tubes 2.00 m
Face tanner	3 x 400 W	3 x 400 W	3 x 400 W	23 x 25 W	23 x 25 W	23 x 25 W	4 x 400 W	4 x 400 W	4 x 400 W	4 x 400 W
Luxura filter technology	●	●	●	-	-	-	●	●	●	●
HPS	⊕	⊕	⊕	-	-	-	⊕	⊕	⊕	⊕
2 m tubes in base ¹	-	-	-	●	●	●	●	●	●	●
5 steps adjustable body cooler	●	●	●	●	●	●	●	●	●	●
5 steps adjustable face cooler	●	●	●	●	●	●	●	●	●	●
LED blower decor light	●	●	●	●	●	●	●	●	●	●
Decorative panel in colour of sunbed	●	●	●	●	●	●	●	●	●	●
Loudspeakers (2)	●	●	●	●	●	●	●	●	●	●
SoundAround including MyMP3	⊕	⊕	⊕	⊕	⊕	⊕	●	●	●	●
SmartVoice ²	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕
ContourPLUS	●	●	●	●	●	●	●	●	●	●
Xsens	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕
Qsens	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕
CliMax ³	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕	⊕
BackFLEX	●	●	●	⊕ ⁴	⊕ ⁴	⊕ ⁴	⊕ ⁴	⊕ ⁴	⊕ ⁴	⊕ ⁴
Dust filters	●	●	●	●	●	●	●	●	●	●
EasyLift Acrylic system	●	●	●	●	●	●	●	●	●	●
Sound volume adjustment ²	●	●	●	●	●	●	●	●	●	●
LCD timer display	●	●	●	●	●	●	●	●	●	●
Programmable internal timer	●	●	●	●	●	●	●	●	●	●
Connection for external timer	●	●	●	●	●	●	●	●	●	●
Hour counter	●	●	●	●	●	●	●	●	●	●
2nd hour counter with reset-function	●	●	●	●	●	●	●	●	●	●
Connection	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE
Power (with CliMax)	ca. 6,3 (7,1) kW	ca. 7,6 (8,3) kW	ca. 9,3 (10,1) kW	ca. 5,9 (6,6) kW	ca. 7,4 (8,2) kW	ca. 8,5 (9,4) kW	ca. 7,2 (8,0) kW	ca. 9,0 (9,8) kW	ca. 10,2 (10,8) kW	ca. 9,4 (10,4) kW
Fuses	3 x 16 A	3 x 16 A	3 x 16 A	3 x 16 A	3 x 16 A	3 x 20 A	3 x 16 A	3 x 20 A	3 x 25 A	3 x 20 A
Weight (excl. packaging) (CliMax +50 kg)	285 kg	305 kg	325 kg	295 kg	315 kg	330 kg	305 kg	325 kg	340 kg	285 kg

● = As standard, ⊕ = Optional Specifications are subject to change without notice.



¹ On demand 42 SLi, 42 SLi Int., 42 SLi H. Int., 40 SPR, 40 SPR Int. and 40 SPR H. Int. are available with 1,80 m tubes and shoulder tanner.

² Only available in combination with SoundAround.

³ CliMax only available in combination with ContourPLUS.

⁴ Only available in combination with 1,80 m tubes in the base.



	34 SLi	34 SLi Int.	34 SLi H. Int.	34 SPr
Surface	Metallic effect	Metallic effect	Metallic effect	Metallic effect
Inside lighting	●	●	●	●
Tubes top	18 x 100 W	18 x 160 W	18 x 160 W	18 x 120 W
Tubes base	16 x 100 W	16 x 100 W	16 x 160 W	16 x 100 W
Face tanner	3 x 400 W	3 x 400 W	3 x 400 W	11 x 25 W
Luxura filter technology	●	●	●	-
HPS	⊕	⊕	⊕	-
5 steps adjustable body cooler	●	●	●	●
5 steps adjustable face cooler	●	●	●	●
LED blower decor light	●	●	●	●
Decorative panel silver	●	●	●	●
Loudspeakers (2) in face cooler	●	●	●	●
SoundAround including MyMP3	⊕	⊕	⊕	⊕
SmartVoice ¹	⊕	⊕	⊕	⊕
ContourPLUS	⊕	⊕	⊕	⊕
Xsens	⊕	⊕	⊕	⊕
Qsens	⊕	⊕	⊕	⊕
CliMax ²	⊕	⊕	⊕	-
BackFLEX	⊕	⊕	⊕	⊕
Dust filters	●	●	●	●
EasyLift Acrylic system	●	●	●	●
Sound volume adjustment ¹	●	●	●	●
LCD timer display	●	●	●	●
Programmable internal timer	●	●	●	●
Connection for external timer	●	●	●	●
Hour counter	●	●	●	●
2nd hour counter with reset-function	●	●	●	●
Connection	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE	400 V - 50 Hz 3~N/PE
Power (with CliMax)	ca. 5,9 (6,6) kW	ca. 7,0 (7,7) kW	ca. 8,5 (9,3) kW	ca. 4,8 kW
Fuses	3 x 16 A	3 x 16 A	3 x 20 A	3 x 16 A
Weight (excl. packaging) (CliMax + 50 kg)	265 kg	280 kg	295 kg	255 kg



● = As standard, ⊕ = Optional
Specifications are subject to change without notice.

¹ Only available in combination with SoundAround.
² Only available in combination with ContourPLUS.

Technical data and features



Features optional or standard according to variants

Starlight Silver



Sunrise Orange



Eternal Blue





www.hapro.com

Hapro International bv • P.O. Box 73 • 4420 AC Kapelle • The Netherlands